Head Coverings





(Ultraguard)

Advantage Head Coverings This is a LATEX FREE Product

Polypropylene Bouffant Caps are highly breathable and low-linting. Bouffant caps are available in 18", 21", or 24" sizes making the cap comfortable and secure for any hair style. Bouffants are packaged in boxes for medical and/or general use, or bagged for cleanrooms.

Surgical Caps feature non-linting Kaycel fabric with a polypropylene top for breathability. Kaycel is an absorbent material that will trap perspiration keeping it out of the user's eyes. The cap is universally sized with polypropylene ties at the back to adjust for a comfortable, secure fit. Caps are blue colored and come in boxed packaging.

Polypropylene Beard Covers universally sized featuring full coverage with a comfortable elastic band for a secure fit. Beard covers are packaged in bags.

Applications: Medical, cleanroom, critical environment, food handling/production, industrial manufacturing.

Specifications

Bouffant Caps

- Non-woven, Spunbonded Fabric
- Weight: 14g/m²
- Various Colors
- Cases of 500 or 1,000
- Sizes 18", 21", 24"
- Fits Most Hair Styles
- Available Boxed or Bagged

Surgical Caps

- Kaycel Material Cap
- Polypropylene Top
- Soft, Non-Linting
- Universal Size
- 24" Circumference with Adjustable Tie-Back
- Available Boxed

Beard Covers

- Non-woven, Spunbonded Fabric
- Weight: 14g/m²
- Full coverage
- Cases of 500 or 1,000
- 17"x9" when Stretched
- Available Bagged



1505 Corporate Woods Pkwy, Suite 500 Uniontown, OH 44685 info@plxindustries.com

Head Coverings





Polypropylene Bouffant Caps

| Product No. | Description | Size | Colors | QTY/CASE |
|-----------------|--------------------------------|------|--------------------|----------|
| APP0310-21 | Polypropylene Bouffant, Bagged | 21" | Blue, White, Green | 500 |
| APP0310-24 | Polypropylene Bouffant, Bagged | 24" | Blue, White, Green | 500 |
| APP0310-21-BOX | Polypropylene Bouffant, Boxed | 21" | Blue, White | 500 |
| APP0310-24-BOX | Polypropylene Bouffant, Boxed | 24" | Blue, White | 500 |
| APP0310-21-1000 | Polypropylene Bouffant, Bagged | 21" | Blue, White | 1000 |
| APP0310-24-1000 | Polypropylene Bouffant, Bagged | 24" | Blue, White | 1000 |

Sugical Caps

| Product No. | Description | Size | Colors | QTY/CASE |
|-------------|--------------|-----------|--------|----------|
| APP09000 | Surgical Cap | Universal | Blue | 500 |

Beard Covers

| Product No. | Description | Size | Colors | QTY/CASE |
|--------------|---------------------------|-----------|--------|----------|
| APP0370-500 | Polypropylene Beard Cover | Universal | White | 500 |
| APP0370-1000 | Polypropylene Beard Cover | Universal | White | 1000 |

Hair Nets and Beard Nets Also Available.

Additional



Items Include:

Advantage

Coveralls Lab Coats Isolation Gowns Bouffant Caps Shoe Covers Face Masks

Tyvek

Coveralls Frocks Lab Coats Aprons Sleeves Shoe Covers Bouffant Caps

Advantage Plus Aprons

Coveralls Lab Coats Isolation Gowns Shoe Covers

Advantage Pro Coveralls

Lab Coats Isolation Gowns Shoe Covers

Polyethylene

Aprons Gloves Sleeves Shoe Covers Shower Caps Rain Coats Ponchos



1505 Corporate Woods Pkwy, Suite 500 Uniontown, OH 44685 info@plxindustries.com



TECHNICAL DATA SHEET

BOUFFANT CAPS

Product Code: APP0310-18 APP0310-21 APP0310-24

Colors Available: Blue, White, Green, Multi

Sizes Available: 18" 21" 24"

Packing: Poly Bag or Dispenser Box

100 pieces per bag/box

5 bags/boxes or 500 pieces per case

Specifications

Material: Polypropylene

Ave. Weight (grams): 14g/m²

Particle Testing

Test Method: Helmke Drum Method IES-RP-CC003.2. Garment system

considerations for cleanroom and other controlled

environments.

Procedure: The samples were tested per IES-RP-CC003.2 by the

tumbling method (Helmke Drum). Each sample was tumbled

for 10 minutes. The results show the average particles

released per minute per cubic foot of air.

| Particle Count: | Particle Size (um) | Released |
|-----------------|--------------------|----------|
| | ≥ 0 .5 | 518 |
| | ∑ 0.7 | 429 |
| | ≥ 1.0 | 295 |
| | _ ≥2.0 | 153 |
| | ≥ 4.0 | 44 |
| | _ ≥ 5.0 | 24 |
| | ≥ 10.0 | 10 |





MATERIAL SAFETY DATA SHEET

ADVANTAGE 1 ITEMS

Identification

Product Description: PolypropyleneNonwovens- All weights and colors of

untreated polypropylene fabric

Chemical and Common Name: Polypropylene- (CH₂ -CH -CH₃)

Appearance and Odor: Bonded nonwoven fabric, white and various colors.

No odor.

Typical Physical & Chemical Characteristics

Volatile (vol) %: Less than 0.4

Solubility in Water: Negligible

Specific Gravity: 0.88-0.92

Fire and Explosion

Flash Point: Above 650°F

Autoignition Temperature: Greater than 700°F

Extinguishing Media: Agents approved for Class A fires

Special Firefighting

Procedures:

Standard procedures for Class A fires. Use water spray to cool fire-exposed surfaces. Protect personnel with usual precautions including use of

self-contained breathing apparatus for smoke and

oxygen depletion.

Incompatibility: Avoid excessive heat, strong oxidizers, aoids, and

caustics.

Hazardous Decomposition

Products: Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization: Will not occur







MATERIAL SAFETY DATA SHEET

ADVANTAGE 1 APPAREL ITEMS (continued)

Spill Procedures & Waste Disposal

Spill Procedures: If material is not contaminated, return to proper

package for use. If material is contaminated, place

in proper container for disposal.

Waste Disposal Method: Sweep up waste fabric and recycle, incinerate or

landfill in conformity to local disposal regulations.

Other Precautions

Storage: Store nonwoven fabric in a warehouse equipped

with a sprinkler system. Do not store near flame, heat, or strong oxidants, such as hot or concentrated

nitric acid or fuming sulfuric acid.

Exposure Data

Eyes: Safety glasses should be worn when performing any

industrial operation.



